

DRAINAGE & SEWAGE SYSTEMS

Domestic / Commercial / Industrial

FERRIER PUMPS FLOW FURTHER. STORMWATER PUMPS WITH DOUBLE CHANNEL IMPELLER

Submersible high efficiency storm water pumps for professional use.

With a double channel impeller, these pumps are ideal for moving storm

The design of the impeller optimises efficiency while allowing the pump to handle muddy water containing short fibred suspended solids without



DRAINAGE PUMPS

Drainage pumps are designed for 'clean water' which can contain small soft particles, ideal for moving treated effluent water or excess rainwater to drain and soakage areas.

Designed to move a lot of water fast, generally with lower heads.

Options:

- TOP-FLOOR for low level drainage down to 2mm
- GM Magnetic Float Switch option for compact automation
- VORTEX Version for larger solids handling (Up to Ø40mm)
- PLUG & DRAIN Kit for emergency use in floods
- LA Higher grade SS for aggressive liquids
- Available in our packaged Powerdrain systems
- 110V Options available

	Light Duty	Heavy Duty
Pumps in the Range	TOP / RX	D
Flow Rate	Up to 380 l/min (22.8m³/h)	Up to 300 l/min (18m³/h)
Head	Up to 19.5m	Up to 26m
Discharge Diameter	ge Diameter 1 ¼" / 1 ½" 1 ½"	
Solids Handling	Up to Ø10mm	Up to Ø10mm



Plug & Drain Emergency KIT for emptying flood waters



SEWAGE PUMPS WITH VORTEX IMPELLER

makes these pumps ideal for sewage.

Options:

XA	Light Duty	Heavy Duty
Pumps in the Range	BC / BC-MF	MC / MCF / DNB
Power	Up to 1.1kw (1.5HP)	Up to 3kw (4HP)
Flow Rate	Up to 750 l/min (45m³/h)	Up to 1600 l/min (96m³/h)
Head	Up to 14m	Up to 80m
Discharge Diameter	2"	2" / 2 ½" / 3"
Solids Handling Up to Ø50mm		Up to Ø70mm

FERRIER PUMPS



water fast.

problems.

Options:

- Available in Cast Iron & Stainless Steel

- Available in Manual & Automatic (Auto single phase only)

- ATEX approved available on selected DRENO pumps up to 9.5kW

- Guide-rail Mountable on Horizontal Outlet pump only

Pumps in the Ran Power Flow Rate Head **Discharge Diamet** Solids Handling

VORTEX



SEWAGE PUMPS WITH VORTEX IMPELLER



Submersible high efficiency VORTEX pumps for professional use. Vortex Impellers create a vortex which moves water without having to touch it. This means the solids don't go through the impeller but bypass it which

Suitable for continuous heavy-duty service for dirty water, sewage, industrial waste and effluent water. Typically installed in sewage pump stations.

- Available in Cast Iron & Stainless Steel
- Available in Manual & Automatic (Auto single phase only)
- Guide-rail Mountable on Horizontal Outlet pump only
- ATEX approved available on selected DRENO pumps up to 9.5kW

Light Duty	Heavy Duty	
VX / VX-MF / Compatta EVO	VXC / VXC-F / VX40 / DNA	
Up to 1.5kw (2HP)	Up to 4kw (5.5HP)	
Up to 650 l/min (39m³/h)	Up to 1200 l/min (72m³/h)	
Up to 13.5m	Up to 25m	
1 ½" / 2"	1 1/2" / 2" / 2 1/2" / 3"	
Up to Ø50mm	Up to Ø80mm	
	VX / VX-MF / Compatta EVO Up to 1.5kw (2HP) Up to 650 l/min (39m ³ /h) Up to 13.5m 1 ½" / 2"	



Also Available From Ferrier Pumps:



Sewage Pumps With Grinder Impeller

Equipped with a highly resistant and tempered stainless steel cutter system allowing for the total shredding of solids and fibres contained in wastewater and sewage in domestic and civil sectors.

Power	Up to 9.5kw (12.7HP)
Flow Rate	Up to 480 l/min (28.8m³/h)
Head	Up to 65m
Discharge Diameter	1 ¼" / 1 ½" / 2"



POWERDRAIN Packaged Pump Stations

Storage and lifting stations for clear water, waste water and rainwater.

100 Standard product options, 9 tanks sizes Clean or Foul water systems Single or Twin pump systems Grinder pump options Guide-rail options

Control Options & Float Switches

Single and twin pump sewage panels with audible alarm for high level, over-current and thermal overload. With a Volt free output for BMS connection and provision for installing start capacitors (single phase). Duty/Standby or Duty/Assist operation option, with auto changeover on trip (twin pumps). Internally weighted pear shape sewage float switches available in 10m or 20m.



Pedestal Mounting Guide-rail Brackets Flygt adaptor Kits

ERRIER PUMPS

Edinburgh t: 0131 553 4001 e: edinburgh@ferrierpumps.co.uk

Glasgow t: 0141 554 3454 e: glasgow@ferrierpumps.co.uk

Aberdeen t: 01224 782022 e: aberdeen@ferrierpumps.co.uk